

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	558	((resistor capacitor rc) with diode with reverse with bias\$3) same ((variable with (capacit\$4)) or varactor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:18
L3	346	((resistor capacitor rc) with diode with reverse with bias\$3) with ((variable with (capacit\$4)) or varactor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:19
L4	10	3 and modem	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:19
L5	54	3 and (variable near3 impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:24
L6	46	3 and (variable near2 impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:24
L7	227	3 and ((variable adjustable programmable) near2 (impedance capacit \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:25
L8	5	3 and ((variable adjustable programmable) near2 (impedance capacit \$3)) and modem	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:25

L9	43	3 and ((variable adjustable programmable) near2 (impedance capacit \$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:27
L10	65	(((resistor and capacitor) rc) with diode with reverse with bias\$3) with ((variable with (capacit\$4)) or varactor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:40
L13	954	\$1dsl and (match\$3 near3 impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L14	1	L13 and (varicap near2 diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L15	954	\$1dsl and (match\$3 near3 impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L16	1	L15 and (varicap near2 diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L17	17	L15 and (varicap varactor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L18	319	\$1dsl and (match\$3 near3 impedance) and (terminat\$3 near3 (line loop pair))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52

L19	43	\$1dsl and (match\$3 near3 impedance) and (terminat\$3 near3 (line loop pair) with modem)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L20	5	\$1dsl and (match\$3 near3 impedance) and (terminat\$3 near3 (line loop pair) with (modem near3 (\$3connect\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L21	50	\$1dsl and (terminat\$3 near3 (line loop pair) with (modem near3 (\$3connect\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L22	14	\$1dsl.ab. and (terminat\$3 near3 (line loop pair) with (modem near3 (\$3connect\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L23	1	\$1dsl.ab. and (terminat\$3 near3 (line loop pair)) and (detect\$3 near3 modem near3 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L24	10	\$1dsl and (terminat\$3 near3 (line loop pair)) and (detect\$3 near3 modem near3 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L25	112	(terminat\$3 near3 (line loop pair) with unterminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L26	43	(terminat\$3 near3 (line loop pair) near3 unterminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52

L27	4	L26 and \$1dsl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L28	1	(switch\$3 near3 impedance with (line loop pair)) and (detect\$3 near3 modem near3 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L29	0	(switch\$3 near3 impedance with (line loop pair)) and (modem near2 ("not" "isn't") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L30	0	(match\$3 near3 impedance with (line loop pair)) and (modem near2 ("not" "isn't") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L31	0	(modem near2 ("not" "isn't") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L32	0	(modem with ("not" "isn't") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L33	0	(modem with ("not") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L34	59554	(modem near3 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52

L35	159	(modem near3 \$3connect\$3) same ((switch\$3 match\$3) with impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L36	69	(modem near3 \$3connect\$3) with ((switch\$3 match\$3) with impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L37	2	("5848150" "6459790").PN.	USPAT	OR	OFF	2009/02/26 11:52
L38	346	379/394.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L39	2	"6980645".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 11:52
L40	75	(resistor capacitor) with vari\$cap with diode with parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L41	76	(resistor capacitor rc) with vari\$cap with diode with parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L42	2	(resistor capacitor rc) with varicap with diode with reverse \$bias	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L43	7	(resistor capacitor rc) with varicap with diode with reverse \$bias\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52

L44	17	(resistor capacitor rc) with varicap with diode with reverse with bias\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L45	17	L44 or L43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L46	54309	L45 \$3dsl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L47	1	L45 and \$3dsl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L48	135	(resistor capacitor rc) with (series parallel) with (vari\$cap) with diode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L49	5	(resistor capacitor rc) with (series parallel) with (vari\$cap) with diode with reverse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L50	162	((resistor capacitor rc) with (series parallel) with diode with reverse) same (variable with (capacit \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52
L51	28	((resistor capacitor rc) with (series with parallel) with diode with reverse) same (variable with (capacit \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:52

L52	1104	379/394,398.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:07
L53	11	379/394.ccls.	US-PGPUB	OR	ON	2009/02/26 13:07
L54	36	379/394,398.ccls.	US-PGPUB	OR	ON	2009/02/26 13:17
L55	0	rayher.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:17
L56	29379	alain.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:18
L57	110	56 and hubert.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:18
L58	4	57 and mariotte.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:19
S11	894	\$1dsl and (match\$3 near3 impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 18:20
S12	1	S11 and (varicap near2 diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 18:20

S13	894	\$1dsl and (match\$3 near3 impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 21:15
S14	1	S13 and (varicap near2 diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 21:15
S15	15	S13 and (varicap varactor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 21:34
S16	299	\$1dsl and (match\$3 near3 impedance) and (terminat\$3 near3 (line loop pair))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 22:38
S17	42	\$1dsl and (match\$3 near3 impedance) and (terminat\$3 near3 (line loop pair) with modem)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 22:38
S18	5	\$1dsl and (match\$3 near3 impedance) and (terminat\$3 near3 (line loop pair) with (modem near3 (\$3connect\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 22:39
S19	47	\$1dsl and (terminat \$3 near3 (line loop pair) with (modem near3 (\$3connect \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 23:03
S20	14	\$1dsl.ab. and (terminat\$3 near3 (line loop pair) with (modem near3 (\$3connect\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 23:04

S21	1	\$1dsl.ab. and (terminat\$3 near3 (line loop pair)) and (detect\$3 near3 modem near3 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 23:23
S22	10	\$1dsl and (terminat \$3 near3 (line loop pair)) and (detect\$3 near3 modem near3 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 23:36
S23	111	(terminat\$3 near3 (line loop pair) with unterminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 23:50
S24	43	(terminat\$3 near3 (line loop pair) near3 unterminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 23:51
S25	4	S24 and \$1dsl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 23:51
S26	1	(switch\$3 near3 impedance with (line loop pair)) and (detect\$3 near3 modem near3 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 01:55
S27	0	(switch\$3 near3 impedance with (line loop pair)) and (modem near2 ("not" "isn't") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 14:24
S28	0	(match\$3 near3 impedance with (line loop pair)) and (modem near2 ("not" "isn't") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 14:24

S29	0	(modem near2 ("not" "isn't") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 14:24
S30	0	(modem with ("not" "isn't") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 14:25
S31	0	(modem with ("not") near2 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 14:25
S32	55806	(modem near3 \$3connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 14:25
S33	157	(modem near3 \$3connect\$3) same ((switch\$3 match\$3) with impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 14:28
S34	68	(modem near3 \$3connect\$3) with ((switch\$3 match\$3) with impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 14:28
S35	2	("5848150" "6459790").PNL	USPAT	OR	OFF	2008/08/23 21:09
S36	345	379/394.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 21:13
S37	2	"6980645".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 20:42

S38	75	(resistor capacitor) with vari\$cap with diode with parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 20:50
S39	76	(resistor capacitor rc) with vari\$cap with diode with parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 20:50
S40	2	(resistor capacitor rc) with varicap with diode with reverse \$bias	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 20:51
S41	7	(resistor capacitor rc) with varicap with diode with reverse \$bias\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 20:51
S42	17	(resistor capacitor rc) with varicap with diode with reverse with bias\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 20:54
S43	17	S42 or S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 20:55
S44	54200	S43 \$3dsl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 20:55
S45	1	S43 and \$3dsl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 20:55

S46	135	(resistor capacitor rc) with (series parallel) with (vari\$cap) with diode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:52
S47	5	(resistor capacitor rc) with (series parallel) with (vari\$cap) with diode with reverse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:52
S48	162	((resistor capacitor rc) with (series parallel) with diode with reverse) same (variable with (capacit \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:54
S49	28	((resistor capacitor rc) with (series with parallel) with diode with reverse) same (variable with (capacit \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:54

2/26/09 1:21:32 PM

C:\Documents and Settings\ajamal\My Documents\EAST\Workspaces\10559961.wsp